

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

• 1.1 Product identifier

• Trade name: Plus black

• Registration number

The ingredients of this product meet the criteria of the Regulation 1907/2006/EC (REACH).

• 1.2 Relevant identified uses of the substance or mixture and uses advised against  
Currently no such applications are identified.

• Application of the substance / the mixture alcohol based permanent marking ink

• 1.3 Details of supplier of the safety data sheet

• Manufacturer/Supplier:

Bleispitz GmbH

Grünwalder Weg 32d 82041

Oberhaching Germany

Tel.: +49 (0)89 3575738-0 Fax:

+49 (0)89 3575738-10

info@bleispitz.de

## SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Muta. 2 H341 Suspected of causing genetic defects.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

• 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

• Hazard pictograms



GHS02



GHS05



GHS08



GHS09

Trade name: Plus black

(Contd. of page 1)

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Phosphoric acid mono-bis-(2-ethylhexyl) ester  
C.I. Solvent Orange 3  
C. I. Basic Violet 1
- **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H341 Suspected of causing genetic defects.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:**  
EUH208 Contains C.I. Solvent Blue 4 < 0,1% Michler's Ketone. May produce an allergic reaction.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

• **Dangerous components:**

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol ⊠ Flam. Liq. 2, H225; ⊠ Eye Irrit. 2, H319	50-<75%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35	1-methoxy-2-propanol ⊠ Flam. Liq. 3, H226; ⊠ STOT SE 3, H336	5-<10%
CAS: 12645-31-7 EINECS: 235-741-0 Reg.nr.: 01-2119896587-13	Phosphoric acid mono-bis-(2-ethylhexyl) ester ⊠ Skin Corr. 1B, H314	3-<5%
CAS: 83968-28-9 EINECS: 281-506-0 Reg.nr.: 01-2120116233-72	C. I. Basic Violet 1 ⊠ Eye Dam. 1, H318; ⊠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⊠ STOT SE 3, H335	3-<5%
CAS: 495-54-5 EINECS: 207-803-7 Reg.nr.: 01-2120754909-37	C.I. Solvent Orange 3 ⊠ Muta. 2, H341; ⊠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⊠ Acute Tox. 4, H302; Skin Irrit. 2, H315	3-<5%
CAS: 6786-83-0 EINECS: 229-851-8 Reg.nr.: 01-2119950688-22	C.I. Solvent Blue 4 < 0,1% Michler's Ketone ⊠ Eye Dam. 1, H318; ⊠ Skin Sens. 1B, H317	0.1-<1%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Trade name: Plus black

(Contd. of page 2)

- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures  
Wear protective equipment. Keep unprotected persons away.  
Wear protective clothing.
- 6.2 Environmental precautions:  
Do not allow product to reach sewage system or any water course.  
Prevent seepage into sewage system, workpits and cellars.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- 6.4 Reference to other sections  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- Information about fire - and explosion protection:  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- 7.2 Conditions for safe storage, including any incompatibilities  
• Storage:  
• Requirements to be met by storerooms and receptacles: Store in a cool location.  
• Information about storage in one common storage facility: Not required.  
• Further information about storage conditions:  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
• Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- Respiratory protection: Not required.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

Trade name: Plus black

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If only a short-term loading of the glove material by splashes is expected, tricoted gloves with higher wearability for the better acceptance of the users are recommended.

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

• **Penetration time of glove material**

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• **Eye/face protection**



Tightly sealed goggles

**SECTION 9: Physical and chemical properties**

• **9.1 Information on basic physical and chemical properties**

• **General Information**

• **Physical state**

Fluid

• **Colour:**

According to product specification

• **Odour:**

Product specific

• **Odour threshold:**

Not determined.

• **Melting point/freezing point:**

Undetermined.

• **Boiling point or initial boiling point and boiling range**

78 °C (64-17-5 ethanol)

• **Flammability**

Not applicable.

• **Lower and upper explosion limit**

• **Lower:**

3.5 Vol % (64-17-5 ethanol)

• **Upper:**

15 Vol % (64-17-5 ethanol)

• **Flash point:**

13 °C (64-17-5 ethanol)

• **Auto-ignition temperature:**

287 °C (107-98-2 1-methoxy-2-propanol)

• **Decomposition temperature:**

Not determined.

• **pH at 20 °C**

4.4

• **Viscosity:**

• **Kinematic viscosity**

Not determined.

• **Dynamic at 20 °C:**

4.2 mPas

• **Solubility**

• **water:**

Fully miscible.

• **Partition coefficient n-octanol/water (log value)**

Not determined.

• **Vapour pressure at 20 °C:**

59 hPa (64-17-5 ethanol)

• **Density and/or relative density**

• **Density at 20 °C:**

0.9 g/cm<sup>3</sup>

• **Relative density**

Not determined.

• **Vapour density**

Not determined.

• **9.2 Other information**

The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications.

• **Appearance:**

• **Form:**

Fluid

• **Important information on protection of health and environment, and on safety.**

-

• **Ignition temperature:**

Product is not selfigniting.

• **Explosive properties:**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

• **Solvent content:**

• **Organic solvents:**

76.0 %

• **Water:**

0.1 %

• **Solids content:**

18.7 %

• **Change in condition**

• **Evaporation rate**

Not determined.

• **Information with regard to physical hazard classes**

• **Explosives**

none

• **Flammable gases**

none

(Contd. on page 5)

Trade name: Plus black

(Contd. of page 4)

- Aerosols none
- Oxidising gases none
- Gases under pressure none
- Flammable liquids Highly flammable liquid and vapour.
- Flammable solids none
- Self-reactive substances and mixtures none
- Pyrophoric liquids none
- Pyrophoric solids none
- Self-heating substances and mixtures none
- Substances and mixtures, which emit flammable gases in contact with water none
- Oxidising liquids none
- Oxidising solids none
- Organic peroxides none
- Corrosive to metals none
- Desensitised explosives none

### SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:  
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

- LD/LC50 values relevant for classification:

64-17-5 ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)

- Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Suspected of causing genetic defects.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

- Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties  
The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- Remark: Toxic for fish
- Additional ecological information:
- General notes:  
Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Danger to drinking water if even extremely small quantities leak into the ground.

(Contd. on page 6)

Trade name: Plus black

Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms

(Contd. of page 5)

### SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- European waste catalogue

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- 14.1 UN number or ID number
- ADR, IMDG, IATA

UN1263

- 14.2 UN proper shipping name

- ADR 1263 PAINT, ENVIRONMENTALLY HAZARDOUS
- IMDG PAINT, MARINE POLLUTANT
- IATA PAINT

- 14.3 Transport hazard class(es)

- ADR



- Class 3 (F1) Flammable liquids.
- Label 3

- IMDG



- Class 3 Flammable liquids.
- Label 3

- IATA



- Class 3 Flammable liquids.
- Label 3

- 14.4 Packing group

- ADR, IMDG, IATA II

- 14.5 Environmental hazards:

- Marine pollutant: Product contains environmentally hazardous substances: triarylmethane dye, violet
- Symbol (fish and tree)
- Special marking (ADR): Symbol (fish and tree)

- 14.6 Special precautions for user

- Hazard identification number (Kemler code): Warning: Flammable liquids. 33
- EMS Number: F-E, S-E
- Stowage Category: B

- 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

(Contd. on page 7)

Trade name: Plus black

(Contd. of page 6)

• **Transport/Additional information:**

• **ADR**  
 • **Limited quantities (LQ)** 5L  
 • **Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml  
 • **Transport category** 2  
 • **Tunnel restriction code** D/E

• **IMDG**  
 • **Limited quantities (LQ)** 5L  
 • **Excepted quantities (EQ)** Code: E2  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 500 ml

• **UN "Model Regulation":** UN 1263 PAINT, 3, II, ENVIRONMENTALLY HAZARDOUS

**SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category  
E2 Hazardous to the Aquatic Environment  
P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

• REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

• Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• National regulations:

• Technical instructions (air):

Class	Share in %
NK	≥75

• Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

• Date of previous version: 16.07.2024

(Contd. on page 8)  
EU

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Page 8/8  
Printing date 11.03.2025  
Revision: 11.03.2025  
Version number 2 (replaces version 1)

Trade name: Plus black

(Contd. of page 7)

• Version number of previous version: 1

• **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 2: Flammable liquids - Category 2  
Flam. Liq. 3: Flammable liquids - Category 3  
Acute Tox. 4: Acute toxicity - Category 4  
Skin Corr. 1B: Skin corrosion/irritation - Category 1B  
Skin Irrit. 2: Skin corrosion/irritation - Category 2  
Eye Dam. 1: Serious eye damage/eye irritation - Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation - Category 2  
Skin Sens. 1B: Skin sensitisation - Category 1B  
Muta. 2: Germ cell mutagenicity - Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) - Category 3  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

• \* Data compared to the previous version altered.

EU